


Apod X Small

110x100x227cm





Use level tool at each step, from the beginning till the end.



Decide on the side of the power connection before assemblyy and activate the left/right side accordingly.




If the veilding heitg is 2,50m or less, make sure the electric switch on top is on and select the setting of the sensor as wanted before installation of the roof.





Always use approved materials during installation.

COMPONENTS APOD


MAIN COMPONENT







FASTENERS



TOOLS AND MANPOWER





ladder



Allen key 1mm



Allen key 4mm



4mm



Allen key



level tool






power tool screwdriver




wrench

COMPONENTS HEIGHT ADJUSTBLE TABLE

MAIN COMPONENT



FASTENERS





TOOLS AND MANPOWER





INSTRUCTIONS


CHANGE OUTER SOCKET
















































































HEIGHT ADJUSTABLE TABLE INSTALLATION




































SOCKET INSTALLATION OPTION





CHANGE HEIGHT ADJUSTABLE MECHANISM




























































SENSOR ACTIVATION



Light and fans constand on mode.

Light and fans off

Light and fans on motion sensor mode.

CAUTIONS



Do not move the Apod when it is plugged in.



Do not plug any appliances more than 220-230 VAC.



Do not plug any appliaces more than 10 Amper







Make sure that the Apod is not plugged in before you open the access cover on top.



The ventilation and lights work at the same time, make sure the lights are on when you are in.



Do not block the ventilation grill.



Keep the door closed at all times.



Do not smoke inside.



Keep fire away.



Do not use utility knife o open packages and boxes.



Markant Nederland B.V.

Elzenkade 1 3992 AD Houten **T** 030 693 69 69

E info@markantoffice.com

markantoffice.com